

発表論文リスト

1. 神菌慎太郎, 藤本保. 診断に好塩基球活性化試験が有用であった口腔ダニアナフィラキシーの1例. アレルギー 2018; 67:219-23.
2. Kamizono S, Duncan GS, Seidel MG, Morimoto A, Hamada K, Grosveld G, Akashi K, Lind EF, Haight JP, Ohashi PS, Look AT, Mak TW. Nfil3/E4bp4 is required for the development and maturation of NK cells in vivo. J Exp Med 206:2977-86 2010
3. Kamizono S, Ohya H, Higuchi S, Okazaki N, Narita M. Three familial cases of drug-resistant Mycoplasma pneumoniae infection. Eur J Pediatr 169:721-6 2010
4. Inoue A, Seidel MG, Wu W, Kamizono S, Ferrando AA, Bronson RT, Iwasaki H, Akashi K, Morimoto A, Hitzler JK, Pestina TI, Jackson CW, Tanaka R, Chong MJ, McKinnon PJ, Inukai T, Grosveld GC, Look AT. Slug, a highly conserved zinc finger transcriptional repressor, protects hematopoietic progenitor cells from radiation-induced apoptosis in vivo. Cancer Cell 2:279-88 2002
5. Kamizono S, Hanada T, Yasukawa H, Minoguchi S, Kato R, Minoguchi M, Hattori K, Hatakeyama S, Yada M, Morita S, Kitamura T, Kato H, Nakayama Ki, Yoshimura A. The SOCS box of SOCS-1 accelerates ubiquitin-dependent proteolysis of TEL-JAK2. J Biol Chem 276:12530-8 2001
6. Suzuki A, Hanada T, Mitsuyama K, Yoshida T, Kamizono S, Hoshino T, Kubo M, Yamashita A, Okabe M, Takeda K, Akira S, Matsumoto S, Toyonaga A, Sata M, Yoshimura A. CIS3/SOCS3/SSI3 plays a negative regulatory role in STAT3 activation and intestinal inflammation. J Exp Med 193:471-81 2001
7. Kamizono S, Yamada K, Seki N, Higuchi T, Kimura A, Nonaka K, Itoh K. Susceptible locus for obese type 2 diabetes mellitus in the 5'-flanking region of the tumor necrosis factor-alpha gene. Tissue Antigens 55:449-52 2000
8. Kamizono S, Hiromatsu Y, Seki N, Bednarczuk T, Matsumoto H, Kimura A, Itoh K. A polymorphism of the 5' flanking region of tumour necrosis factor alpha gene is associated with thyroid-associated ophthalmopathy in Japanese. Clin Endocrinol (Oxf) 52:759-64 2000
9. Date Y, Seki N, Kamizono S, Higuchi T, Hirata T, Miyata K, Ohkuni M, Tatsuzawa O, Yokota S, Joo K, Ueda K, Sasazuki T, Kimura A, Itoh K, Kato H. Identification of a genetic risk factor for systemic juvenile rheumatoid arthritis in the 5'-flanking region of the TNFalpha gene and HLA genes. Arthritis Rheum 42:2577-82 1999
10. Seki N, Kamizono S, Yamada A, Higuchi T, Matsumoto H, Niiya F, Kimura A, Tsuchiya K, Suzuki R, Date Y, Tomita T, Itoh K, Ochi T. Polymorphisms in the 5'-flanking region of tumor necrosis factor-alpha gene in patients with rheumatoid arthritis. Tissue Antigens 54:194-7 1999
11. Kamizono S, Yamada A, Higuchi T, Kato H, Itoh K. Analysis of tumor necrosis factor-alpha production and polymorphisms of the tumor necrosis factor-alpha gene in individuals with a history of Kawasaki disease. Pediatr Int 41:341-5 1999
12. Seki N, Yamaguchi K, Yamada A, Kamizono S, Sugita S, Taguchi C, Matsuoka M, Matsumoto H, Nishizaka S, Itoh K, Mochizuki M. Polymorphism of the 5'-flanking region of the tumor necrosis factor (TNF)-alpha gene and susceptibility to human T-cell lymphotropic virus type I (HTLV-I) uveitis. J Infect Dis 180:880-3 1999
13. Sasaki A, Yasukawa H, Suzuki A, Kamizono S, Syoda T, Kinjyo I, Sasaki M, Johnston JA, Yoshimura A. Cytokine-inducible SH2 protein-3 (CIS3/SOCS3) inhibits Janus tyrosine kinase by binding through the N-terminal kinase inhibitory region as well as SH2 domain. Genes Cells 4:339-51 1999
14. Higuchi T, Seki N, Kamizono S, Yamada A, Kimura A, Kato H, Itoh K. Polymorphism of the 5'-flanking region of the human tumor necrosis factor (TNF)-alpha gene in Japanese. Tissue Antigens 51:605-12 1998
15. Motohiro T, Sakata Y, Nagai K, Morita J, Takagishi T, Matsuo Y, Hashimoto T, Yoshinaga Y, Hayashi M, Toyota A, Fujimoto T, Wada M, Kamizono S. Pharmacokinetic and clinical evaluation of cefozopran in premature and newborn patients. Jpn J Antibiot 50:953-66 1997
16. Hoshino T, Ohta A, Yang D, Kawamoto M, Kikuchi M, Inoue Y, Kamizono S, Ota T, Itoh K, Oizumi K. Elevated serum interleukin 6, interferon-gamma, and tumor necrosis factor-alpha levels in patients with adult Still's disease. J Rheumatol 25:396-8 1998
17. Yamada A, Hara A, Inoue M, Kamizono S, Higuchi T, Itoh K. Beta 2-integrin-mediated signal up-regulates counterreceptor ICAM-1 expression on human monocytic cell line THP-1 through tyrosine phosphorylation. Cell Immunol 178:9-16 1997
18. 神菌慎太郎, 山下裕史朗, 矢野明彦, 上田耕一郎, 西見寿博, 加藤裕久 先天性トキソプラズマ症の1例—PCR法による迅速診断の有用性—日本新生児学会雑誌 31:533-7 1995